Reg, No.: 1992/007244/07 VAT Nr: 4320226139 354 Derdepoort Road, Silverton, Pretoria. P.O. Box 75351, Lynnwood Ridge, 0040 Tel: 012 804 7305 Fax: 012 804 6188 email: info@promacpaints.co.za www.promacpaints.co.za



P.QD.029

SAFETY DATA SHEET

Date issued 2023/06/02

FB SERIES: EASYCOAT PLASTER PRIMER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code FB SERIES Product Name EASYCOAT PLASTER PRIMER

Recommended use A paint or paint constituent product

Company Name Promac Paints (Pty) Ltd Address PO Box 75351

Lynwood Ridge

0040

Telephone 012 804 7305 **Facsimile** 012 804 2040

Emergency Contact - T. Patel -012 804 7305

SECTION 2. HAZARDS IDENTIFICATION

Overall Nature Hazardous goods

Classification reference SANS10234 (1272/2008/EC):

Classification of the substance or mixture

(H316) Skin corrosion/irritation, Hazard Category 3

(H402) Hazardous to the aquatic environment ^ AcuteHazard, Category 3

GHS label elements, including precautionary statements

Signal word Warning Pictograms None

Hazard and Precautionary Statements

Hazard Statements

(H316) Causes mild skin irritation (H402) Harmful to aquatic life

Precautionary Statements Prevention Statements

(P273) Avoid release to the environment. – if this is not the intended use.

Response Statements

(P332+P313) If skin irritation occurs: Get medical advice/attention.

Disposal Statements

(P501) Dispose of contents/container to ... in accordance with local/regional/ national/international regulation

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product type : Mixture Generic name :

transport

HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

Name % m/m EC Label CAS Number EC Index

1 Items classified as hazardous but below reporting limit

0.60 2 Items not classified as hazardous 99.39

Classification reference SANS10234 (1272/2008/EC) of constituents

ref above table Hazard Code Pictogram Cutoff

ref above table Classification

SECTION 4. FIRST AID MEASURES

Inhalation Move to fresh air.

Skin Always wash after handling chemical substances.

SDS: FB SERIES Page 1 of 5 Revision 04

Reg, No.: 1992/007244/07 VAT Nr: 4320226139 354 Derdepoort Road, Silverton, Pretoria. P.O. Box 75351, Lynnwood Ridge, 0040 Tel: 012 804 7305 Fax: 012 804 6188 email: info@promacpaints.co.za www.promacpaints.co.za



P.QD.029

Eyes In case of any contact and discomfort rinse well with water and seek medical advice. Ingestion Wash mouth with plenty of water. Do NOT induce vomiting, seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Cool with water spray or fog. Contain run-off - keep out of Storm water drains.

No direct explosion hazard expected.

Non-combustible. Gives off toxic fumes at high temperatures.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Contain & collect. Keep out of drains and sewers

Wear protective equipment (see Section 8). Keep unprotected persons away.

Do not allow product to reach sewage system or any water course.

Remove ignition sources and provide sufficient ventilation

SECTION 7. HANDLING AND STORAGE

Storage

Alkaline - corrosive. Caution with contact with non-ferrous metals.

Store away from combustible substances.

Dispose of contents/container to ... in accordance with local/regional/ national/international regulation

Handling

Ensure good ventilation/exhaustion at the workplace

Do not spray on a naked flame or any incandescent material

Eating, drinking and smoking in work areas is prohibited

Wash hands after use

Remove contaminated clothing and protective equipment before entering eating areas

In case of insufficient ventilation, use suitable respiratory protection.

Skin Use only as directed.

Eyes Avoid direct contact. Never touch eyes with dirty hands or gloves. Ingestion Observe the rules fo hygiene. Wash before eating, drinking or smoking.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

Name CAS Number TWA OEL TWA OEL STOEL STOEL OEL Vap.Press.

(CL/RL = Controlled/Recommended level 'S' = Skin annotation)

Maintain air concentrations below occupational exposure standards, using engineering controls as necessary Appropriate hand protection and protective clothing must always be used

Keep away from foodstuffs, beverages and feed Wash hands before breaks and at the end of work

Avoid release to the environment. - if this is not the intended use.

HMIS Rating (USA) 0 - 2 - 0 - C (Health-Flam-Reactivity-PPE)
SAPMA Rating 4-H-C PPE : Gloves, Eye protection

SDS: FB SERIES Page 2 of 5 Revision 04

Reg, No.: 1992/007244/07 VAT Nr: 4320226139 354 Derdepoort Road, Silverton, Pretoria. P.O. Box 75351, Lynnwood Ridge, 0040 Tel: 012 804 7305 Fax: 012 804 6188 email: info@promacpaints.co.za www.promacpaints.co.za



P.QD.029

Personal protective equipment :

Skin PPE: Overall and gloves (eg PVC)

Eve PPE: Faceshield or solvent resistant goggles



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Property Value Appearance Aqueous Typical 9.0 Odour Boiling point Melting point 100°C not available Flash point n/a°C not available Explosive prop Oxidizing prop not available not available Vapour pressure 1.312Kg/L ±0.05 Density Water solubility miscible Oil: miscible Fat solubility Partition coeficient not available Viscosity 110-115KU Vapour density not available Evaporation rate not available Autoignition temperature not available not available U.E.L. not available % non volatile not available

SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions No reaction with fire-fighting water

SECTION 11. TOXICOLOGICAL INFORMATION

LC50 Inhal(gas) LC50 Inhal(mist) Name CAS Number LD50 Oral LD50 Skin

EASYCOAT PLASTER PRIMER Not applicable 71429 ATEoral 200000 ATEdermal 500000 ATEgas Components:

Inhalation Avoid exposure to vapours, fumes and mists. Skin

No hazard expected if used in moderation.

Eyes No direct hazard is expected but possible contact with any chemical must always be avoided.

Ingestion Irritating and nauseating.

SECTION 12. ECOLOGICAL INFORMATION

No available ecological data of ingredients :

SDS: FB SERIES Page 3 of 5 Revision 04

Reg, No.: 1992/007244/07 VAT Nr: 4320226139 354 Derdepoort Road, Silverton, Pretoria. P.O. Box 75351, Lynnwood Ridge, 0040 Tel: 012 804 7305 Fax: 012 804 6188 email: info@promacpaints.co.za www.promacpaints.co.za



P.QD.029

May have short term environmental effects. Contain, monitor & remove

Aquatic toxicity: No further relevant information available

Persistence and degradability: No further relevant information available. Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available.

Harmful to aquatic life

SECTION 13. DISPOSAL INFORMATION

Use reputable waste disposal contractors. Exercise caution in disposal of used containers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

SECTION 14. TRANSPORT INFORMATION

UN Number Not applicable Not classified as dangerous for transport

SECTION 15. REGULATORY INFORMATION

Classification reference SANS10234 (1272/2008/EC):

Classification of the substance or mixture

(H316)Skin corrosion/irritation, Hazard Category 3

(H402) Hazardous to the aquatic environment ^ AcuteHazard, Category 3

SECTION 16. OTHER INFORMATION

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE. HMIS Rating (USA): 0 - 2 - 0 - C (Health-Flam-Reactivity-PPE)

Abbreviations

Code: Abbreviation: Meaning

C: : corrosive

: dangerous for the environment

: toxic

: : Associated pictogram code shown in brackets

GHS01: : Exploding bomb

GHS02: Flame

GHS03: : Flame over circle

GHS04: : Gas cylinder : Corrosion GHS05:

GHS06: Skull and crossbones

GHS07: : Exclamation mark

: Health hazard GHS09: : Environment

%m/m : Percent by mass

ATE: Acute Toxicity Estimate

: CAS : Chemical Abstracts Service : CHIP : Chemicals (Hazard Information and Packaging for supply)

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

: CNS : Central Nervous System : DIN : Standard of the German Institute for Standardisation

: DOT : Department of Transport : EC : European Community

: EC50 : Effective Concentration (Median) for 50% of the response under test : ECB : European Chemicals Bureau

ECHA: European Chemicals Agency, Helsinki (http://echa.europa.eu/home_en.asp)

: EEC : European Economic Community : EINECS : European Inventory of Existing Chemical Substances : ELINCS : European List of Notified Chemical Substances

GHS : Globally Harmonized System of Classification and Labelling of Chemicals HMIS : Hazardous Materials Information System (USA only)

: IATA : International Air Transport Association : IMDG : International Maritime Dangerous Goods Code

IMO: International Maritime Organization

: INS: Guidance on Identification and Naming of Substances under REACH, ECHA, 2007

: ISO: International Standards Organisation

: L.E.L. : Lower explosive limit : LD50/LC50 : Median (50%) lethal dose/concentration

SDS: FB SERIES Page 4 of 5 Revision 04

Reg, No.: 1992/007244/07 VAT Nr: 4320226139 354 Derdepoort Road, Silverton, Pretoria. P.O. Box 75351, Lynnwood Ridge, 0040 Tel: 012 804 7305 Fax: 012 804 6188 email: info@promacpaints.co.za www.promacpaints.co.za



P.QD.029

: mg/m3 : Milligrams per cubic meter : MSDS : Material safety data sheet

: n.a. : Not available : NC : No Classification : No : Number

: OEL : Occupational exposure limit : OEL-CL : Occupational exposure limit - control limit : OEL-RL : Occupational exposure limit - recommended limit

: OHS Act : Occupational Health and Safety Act : P statement : Precautionary statement

PPE: Personal protective equipment:
ppm: Parts per million
REACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RTDG: Regulations on the Transport of Dangerous Goods. Generic term that covers all modal transport regulations (ADR, RID, ADN, IMDG and ITDG) SABS: South African Bureau of Standards

SANS : South African National Standards SAPMA : South African Paint Manufacturers Association

SARA 313 : Toxic Release Inventory Reporting SRA Section 3

SDS : Safety Data Sheet STOEL : Short-term occupational exposure limit

: STOT-RE : Specific Target Organ Toxicity - Repeated Exposure : STOT-SE : Specific Target Organ Toxicity - Single Exposure

TDG : Transport of Dangerous Goods

: TSCA : Toxic Substance Control Act (USA only) : TWA : Time weighted average

U.E.L. : Upper explosive limit

: UN : United Nations

: WHMIS : Workplace Hazardous Materials Information Systems (Canada only)

This SDS conforms with General Administrative Regulations of 6 Sept. 1996 (SANS11014:2010/ISO11014:2009) OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug.1995 (EH-42) SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991) All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.

(Date of issue: 2023/06/02 Date of analysis: 2023/06/02)